

Rev n. 03 - June. 2019

Safety Data Sheet

1. Identification of the substance/mixture and of the Company

1.1 Product identifier 1.1.1 Product name **Lubricating Oil for Axles and Differential Gear** 1.1.2 Trade name CO75W-80GL5 Relevant identified uses of the 1.2 substance/mixture and use advised against Main uses: Lubrication of axles and differential gear. 1.3 Details of the supplier of the safety data sheet **Comline Auto Parts Limited** Unit B1, Luton Enterprise Park, Sundon Park Road, Luton, LU3 3GU, England 1.4 Emergency telephone number T+44(0)1582 578 888

2. Hazard identification

2.1 Classification of the mixture

2.1.1 Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aquatic Chronic 3; H412 Full text of H-phrases: see section 16.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP): None

CLP signal word: None

Hazardous ingredients and/or with relevant occupational

exposure limits: Long-Chain Alkyl Amine.

Hazard statements (CLP): H412 - Harmful to aquatic life with long

lasting effects.

Precautionary statements (CLP): P273 - Avoid release to the environment

P501 - Dispose of contents/container to according to national or local regulations



EUH phrases: EUH208 - Contains Long-Chain Alkyl

Amine. May produce an allergic reaction.

2.3 Other hazards: None

3. Composition/information on ingredients

3.1 Substances Not applicable.

3.2 Mixtures Mineral base oil. Synthetic technology base oil.

Additives.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP
LUBRICATING OILS	EINECS: 278-012-2 CAS: 74869-22-0 INDEX: Not available REACH registration number 01-2119495601-36	71.5	Not classified
SYNTHETIC TECHNOLOGY BASE OIL, HYDRO-REFINED (GROUP 3) (DISTILLATES (PETROLEUM) HEAVY DUTY PARAFFINIC)	EINECS: 265-157-1 CAS: 64742-54-7 INDEX: 649-467-00-8 REACH registration number 01-2119484627-25	20	Not classified
METHACRYLIC COPOLYMER	EINECS: Not available CAS: 74869-22-0 INDEX: Not available REACH registration number Not applicable	3.6-6.0	Eye Irrit. 2; H319
LONG-CHAIN ALKYL AMINE	EINECS: 273-279-1 CAS: 68955-53-3 INDEX: Not available REACH registration number 01-2119456798-18	0.08-0.20	Acute Tox. 4; H302 Acute Tox. 3; H311 Acute Tox. 2; H330 Skin Corr. 1B; H314 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 STOT SE 3; H335
ALKYL PHOSPHATE	EINECS: 221-537-9 CAS: 3138-42-9 INDEX: Not available REACH registration number 01-2119979550-30	0.10-0.20	Skin Corr. 1B; H314 Eye Dam. 1; H318
ALKYL DI-THIO THIADIAZOLE	EINECS: 289-493-3 CAS: 3138-42-9 INDEX: Not available REACH registration number 01-2119976351	0.02-0.10	Aquatic Chronic 3; H412



LONG-CHAIN ALKENYL AMINE	EINECS: 204-015-5 CAS: 112-90-3 INDEX: 612-283-00-3 REACH registration number Not available	0.02-0.10	Acute Tox. 4; H302 Skin Corr. 1B; H314 Aquatic Acute 1; H400 Eye Dam. 1; H318 STOT SE 3; H335 STOT RE 2; H373 Aquatic Chronic 1; H410 Asp. Tox. 1, H304
METHACRYLIC POLYMER	EINECS: Not available CAS: Not available INDEX: Not available REACH registration number Not applicable	0.15-0.35	Not classified

See Section 16 for the full text of H and EUH-phrases mentioned above.

4. First-aid measures

First-aid measures	
Description of first aid measures	
Inhalation	If an exposure to high-concentrated oil mists occurs, move the patient to fresh air. If liquid is inhaled, take to hospital immediately.
Skin contact	Wash skin thoroughly with water and soap.
Eye contact	Immediately flush eyes with large amounts of water.
Ingestion	Do not induce vomiting. Call a physician.
Most important symptoms and effects, both acute and delayed Indication of any immediate medical	Not applicable
attention and special treatment needed	Depending on the exposure level, it is recommended periodical medical checks.
	Description of first aid measures Inhalation Skin contact Eye contact Ingestion Most important symptoms and effects, both acute and delayed Indication of any immediate medical

Firefighting measures	
Extinguishing media Recommended Forbidden Special hazarda arising from the	Carbon Dioxide, foams, powders. Water jets.
substance or mixture	In case of combustion, it may generate dangerous smokes of carbon monoxide, carbon dioxide, unburnt hydrocarbon flue gas and other pyrolysis products.
Advice for firefighters Personnel equipment Other recommendations	Oxygen breathing set and protective clothes. Cool the tanks by water jet.
	Extinguishing media Recommended Forbidden Special hazards arising from the substance or mixture Advice for firefighters Personnel equipment



_	A • 1		1	
6.	A CC10	lental	release	measure
v.	ALCCIO	iciitai	rerease	measure

6.1 Personal precautions, protective equipment and emergency procedure Remove ignition sources, provision sufficient ventilation. Wear suitable protective equipment to prevent any contamination of skin, eyes and personal clothing. 6.2 Environmental precaution Do not allow product to enter sewers or watercourses. Notify appropriate authorities in case of spill/leakage. 6.3 Methods and material for containment and clearing up Advice to contain a spill 6.3.1 Dike area of spill. 6.3.2 Advice to clean-up a spill Recover with any appropriate equipment. Absorb with inert material, i.e.: sand. Reference to other sections See Sections 8 and 13. 6.4 **Handling and Storage** 7. 7.1 Precautions for safe handling Recommendations 7.1.1 Prevent oil mists from generating. Reduce the release of substance to the environment. Advice on general occupational hygiene Don't have any food and beverage in 7.1.2 working area. It is recommended to wash hands after use. Undress contaminated safety equipment before having any food. 7.2 Condition for safe storage, including any incompatibilities Keep containers closed when not in use. Do not store open and unlabelled containers. Keep away from flammable materials. Do not store near heat, sparks, open flames and strong oxidizing agents. 7.3 Not available. Specific end use



8. Exposure control/personal protection

0.	Exposure control/personal protection	
8.1 8.1.1 8.1.1.1	Control parameter National limit values National occupational exposure limit in accordance with Directive 98/24/EC	TLV-TWA (A.G.C.I.H), oil mist: 5mg/m³ (Lubricating Oils, EINECS: 278-012-2; CAS: 74869-22-0) TLV-STEL (A.G.C.I.H), oil mist: 10 mg/m³ (Lubricating Oils, EINECS: 278-012-2; CAS: 74869-22-0)
	National occupational exposure limit values in accordance with Directive 2004/37/EC	Not applicable
8.1.1.2	Any other national occupational exposure limit value	None
8.1.1.3	National biological limit values in accordance with Directive 98/24/EC	Not applicable
8.1.1.4	Any other national biological limit Values	Not applicable
8.1.2	Information recommended monitoring procedures provided for the most	N
8.1.3	Occupational exposure limit values	Not applicable
8.1.4	and/or biological limit values for these Relevant DNELs and PNECs	Not applicable Not applicable
8.1.5 8.2	Risk management measures Exposure controls	Not applicable
8.2.1	Appropriate engineering controls	Prevent mist or aerosol from generating.
8.2.2	Individual protection measures, such as personal protective equipment	
8.2.2.1 8.2.2.2	Eye/face protection Skin protection	Goggles are suggested. Wear standard working clothing.
8.2.2.3	Respiratory protection	Not necessary under normal use conditions.
8.2.2.4	Hand protection	Mineral oil-proof gloves are suggested.

Do not allow product to soak the soil

or enter sewers or watercourses.

9. Physical and chemical properties

Environmental exposure controls

8.2.3

9.1 Information on basic physical and chemical properties



11.	Toxicological information	
10.6	Hazardous decomposition products	None.
10.5	Incompatible materials	Strong oxidizing agents.
10.4	Condition to avoid	Avoid exposure to heat, especially in closed containers.
10.3	Possibility of hazardous reactions	None.
10.2	Chemical stability	The product is stable under normal use and storage conditions.
10.1	Reactivity Chemical stability	Not reactive. The product is stable under normal use and
10.	Stability and reactivity	
		organic solvents.
9.2.1	Miscibility	Complete, in hydrocarbons and most of organic solvents.
9.2	Other information	
9.1.21	Oxidising properties	Not applicable
9.1.20	Explosive properties	Not applicable
	Viscosity at 40°C	48 mm2/s typical
9.1.18	Viscosity at 100°C	7.0 to 11.0 mm2/s
9.1.17	Decomposition temperature	Not applicable
9.1.16	Auto-ignition temperature	>325°C
9.1.15	Partition coefficient : n-octanol/water	Not applicable
9.1.14	Solubility in water	Negligible
9.1.13	Relative Density at 15°C	880 Kg/m3 Max
	Vapour density	>2
	Vapour pressure at 20°C	< 0.01 hPa
9.1.10	Upper/lower flammability or explosive limits	Not applicable
9.1.9	Flammability (solid, gas)	Not applicable
9.1.7 9.1.8	Flash point Evaporation rate	Not applicable
9.1.6	Initial boiling point and boiling range	>360°C >200°C
9.1.5	Pour point	-30°C Max
9.1.4	рН	Not applicable
9.1.3	Odour threshold	Not applicable
9.1.2	Odour	Typical
9.1.1.2	Colour	Dark yellow
9.1.1.1	Physical state at 20°C and 1013 hPa	Liquid
9.1.1	Appearance	

11. Toxicological information

11.1 Information on toxicological effects

11.1.1 Acute toxicity LD50 (oral): > 5000 mg/Kg bw (not toxic) LD50 (dermal): > 2000 mg/Kg bw (not toxic)

m3

LC50 (inhalation): > 5000 mg/ air (not toxic)



Skin corrosion/irritation	Not corrosive/not irritating
Serious eye damage/irritation	Not corrosive/not irritating
Respiratory or skin sensitisation	Not sensitising
Germ cell mutagenicity	Genetic toxicity: negative
Carcinogenicity	Not carcinogenic via oral, dermal or
	inhalation exposures (OECD 453).
Reproductive toxicity	Not reproductive toxicant (OECD 421)
	(route:oral): NOAEL: 1000 mg/Kg bw/day
	(route: dermal): NOAEL: 2000 mg/Kg bw/
	day
	Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity

12. Ecological information

12.1	Toxicity	Not toxic
12.2	Persistence and degradability	Inherently biodegradable, but not readily
		biodegradable; moderately persistent,
		particularly in anaerobic conditions.
	Bioaccumulative potential	Being poorly soluble in water,
		its bio-availability to aquatic
		organisms is minimal and the bio-
		accumulation is unlikely.
12.3	Mobility in soil	Not available
12.4	Results of PBT and vPvB assessment	Not classified as PBT or vPvB mixture
12.5	Other adverse effects	None

13. Disposal information

All disposals must comply with Community regulations on this issue except for different National or Regional provisions

13.1	W	aste	treatr	nent	met	hods
------	---	------	--------	------	-----	------

Do not dispose of the product, either new or used by discharging into sewers, tunnels, lakes, or water courses. Deliver to a qualified official collector.

According to the actual use, this product can be classified with different codes, e.g. in groups 13 and 16 (Ref.: 2001/118/CE). It is not possible to give a general classification: the user has the responsibility of choosing the right code, considering the actual use of the product, alterations and contaminations.

13.2 Disposal of packaging

Dispose of in a safe manner, in accordance with local regulations.

Do not cut, weld, drill, burn or incinerate

Do not cut, weld, drill, burn or incinerate empty containers or drums unless they have



been cleaned and declared safe.

14. **Transport information** UN number 14.1 Not applicable Not applicable 14.2 UN proper shipping number Does not belong to any class of danger. 14.3 Transport hazard class 14.4 Packing group Not applicable 14.5 Environmental hazards None None 14.6 Special precautions for user Transport in bulk according to annex II 14.7 of MARPOL 73/78 and the IBC Code Not applicable

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National laws on classification, labelling and packaging of dangerous substances and mixtures (Adoption of Regulation1272/2008/CE (CLP) and subsequent amendments).

National adoption of Directives 89/391/CEE, 89/654/CEE, 89/655/CEE, 89/656/CEE, 97/42/CE, 99/38/CE, 99/92/CE, 2001/45/CE, 2003/10/CE, 2003/18/CE. National adoption of Directive 75/439/CEE, concerning disposal of used oils. Relevant national laws on recycling an re-use of waste materials. Relevant national laws on prevention of water Pollution.

15.2 Chemical safety assessment

Not available.

16. Other information

16.1 Additional Data

The lubricant base oils used for this final product are subjected to refining treatment, therefore their PAH content (Polycyclic Aromatic Hydrocarbon) according to IP 346 method, is less than 3%.

So, they are not classified as carcinogenic according Regulation 1278/2008/EC (CLP) and subsequent amendments.

16.2 References to regulations on Material Safety Data Sheet issuing.

This sheet has been compiled in compliance with Regulation (EC) 1907/2006-REACH and subsequent amendments and in compliance with Regulation (EC) 1272/2008-CLP and subsequent amendments.



16.3 Revision

This safety sheet has been updated according to the latest Community directives as far as new regulation references and data are concerned.

16.4 Full text of H and EUH-phrases:

Acute Tox. 2	Acute toxicity – acute hazard, category 2.
Acute Tox. 3	Acute toxicity – acute hazard, category 3.
Acute Tox. 4	Acute toxicity – a cute hazard, category 4.
Aquatic Acute 1	Hazardous to the aquatic environment – acute hazard, category 1.
Aquatic Chronic 1	Hazardous to the aquatic environment – chronic hazard, category 1.
Aquatic Chronic 3	Hazardous to the aquatic environment – chronic hazard, category 3.
Asp. Tox. 1	Aspiration hazard.
Eye Dam. 1	Serious eye damage/eye irritation. Hazard category 1.
Skin Corr. 1B	Skin corrosion. Hazard category 1A.
Skin Sens. 1	Skin corrosion. Hazard category 1B.
STOT RE 2	Specific target organ toxicity — repeated exposure. Hazard category 2.
STOT SE 3	Specific target organ toxicity — single exposure. Hazard category 3.
H 302	Harmful if swallowed.
H 304	May be fatal if swallowed and enters airways.
H 311	Toxic in contact with skin.
H 314	Cause severe skin burns and eye damage.
H 317	May cause an allergic skin reaction.
H 318	Causes serious eye damage.
H 330	Fatal if inhaled.
Н 335	May cause respiratory irritation.
H 373	May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through prolonged or repeated exposure <state cause="" conclusively="" exposure="" hazard="" if="" is="" it="" no="" of="" other="" proven="" route="" routes="" that="" the=""></state></or>
H 400	Very toxic to aquatic life.
H 410	Very toxic to aquatic life with long lasting effects.
H 412	Harmful to aquatic life with long lasting effects.
EUH208	Contains Long-Chain Alkyl Amine. May produce an allergic reaction.

The information contained in this data sheet is considered to be accurate as of the revision date specified below. They have an informative purpose only and it is the user's obligation to evaluate and use this product properly.

Comline Auto Parts Ltd shall not be responsible for abnormal use of the material and does not guarantee its specific properties.

Date: 19/06/2019 Revision N°: 03