COMLINE AUTO PARTS

Rev n. 00 – Jan. 2019

Safety Data Sheet

1. Identification of the substance/mixture and of the Company

- 1.1 Product identifier
- 1.1.1 Product name
- 1.1.2 Trade name
- 1.2 Relevant identified uses of the substance/mixture and use advised against
- 1.3 Details of the supplier of the safety data sheet

Mineral Hydraulic Oil COHLPVG46

Main uses: Suitable for hydraulic systems.

Comline Auto Parts Limited

Unit B1, Luton Enterprise Park, Sundon Park Road, Luton, LU3 3GU, England T+44(0)1582 578 888

1.4 Emergency telephone number

2. Hazard identification

2.1 Classification of the mixture

2.1.1 Dir. 1272/2008/EC (CLP):

Classification

Not classified

Labelling

Not applicable

2.2 Other hazards

None

3. Composition/information on ingredients

- 3.1 Substances Not applicable.
- 3.2 Mixtures Mineral base oil. Additives.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
MINERAL BASE OIL, SEVERELY REFINED (MAIN CONSTITUENT)	EINECS: 278-012-2 REACH registration number 01-2119495601-36-0009	>99	Not classified
ZINC ALKYL DITHIOPHOSPHATE	EINECS: 272-028-3 REACH registration number Not available	0.24-0.48	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2; H411



CALCIUM ALKARYL SULFONATE	EINECS: Not available REACH registration number Not available	0.008-0.04	Skin Irrit. 2; H315 Eye Irrit. 2; H319
CALCIUM LONG-CHAIN ALKYL PHENATE SULFIDE	EINECS: Not available REACH registration number Not available	0.008-0.04	Aquatic Chronic 4; H413
2,6-DI-TERT-BUTYLPHENOL	EINECS: Not available REACH registration number Not available	0.08-0.16	Skin Irrit. 2; H315 Aquatic Acute 1; H400 Aquatic Chronic 1; H410
POYI (OXYALKYLENE) ALKYLETER	EINECS: Not available REACH registration number Not available	0.008-0.04	Skin Irrit. 2; H315 Eye Irrit. 2; H319
PHENOL, 4-DODECYL	EINECS: 203-202-9 REACH registration number Not applicable	0.0008-0.004	Repr. 2; H361f Aquatic Acute 1; H400 Aquatic Chronic 1; H410
METHACRYLIC POLYMER	EINECS: Polymer REACH registration number Not applicable	0.03 - 0.07	V

See Section 16 for the full text of H and EUH-phrases mentioned above.

4. First-aid measures

- 4.1 Description of first aid measures
- 4.1.1 Inhalation
- 4.1.2 Skin contact
- 4.1.3 Eye contact
- 4.1.4 Ingestion
- 4.2 Most important symptoms and effects, both acute and delayed
- 4.3 Indication of any immediate medical attention and special treatment needed

5. Firefighting measures

- 5.1 Extinguishing media
- 5.1.2 Recommended
- 5.1.3 Forbidden
- 5.2 Special hazards arising from the substance or mixture

If an exposure to high-concentrated oil mists occurs, move the patient to fresh air. If liquid is inhaled, take to hospital immediately.

Wash skin thoroughly with water and soap.

Immediately flush eyes with large amounts of water.

Do not induce vomiting. Call a physician.

Not applicable

Depending on the exposure level, it is recommended periodical medical checks.

Carbon Dioxide, foams, powders. Water jets.

In case of combustion, it may generate dangerous smokes of carbon monoxide,

Page 3 of 8



5.3 5.3.1 5.3.2	Advice for firefighters Personnel equipment Other recommendations	carbon dioxide, unburnt hydrocarbon flue gas and other pyrolysis products. Oxygen breathing set and protective clothes. Cool the tanks by water jet.
6.	Accidental release measure	
6.1	Personal precautions, protective equipment and emergency procedure	Remove ignition sources, provision sufficient ventilation. Wear suitable protective equipment to prevent any contamination of skin, eyes and personal clothing.
6.2	Environmental precaution	Do not allow product to enter sewers or watercourses. Notify appropriate authorities in case of spill/leakage.
6.3	Methods and material for containment and clearing up	
6.3.1	Advice to contain a spill	Dike area of spill.
6.3.2	Advice to clean-up a spill	Recover with any appropriate equipment. Absorb with inert material, i.e.: sand.
6.4	Reference to other sections	See Sections 8 and 13.
7.	Handling and Storage	
7.1	Precautions for safe handling	
7.1.1	Recommendations	Prevent oil mists from generating. Reduce the release of substance to the environment.
7.1.2	Advice on general occupational hygiene	Don't have any food and beverage in working area. It is recommended to wash hands after use. Undress contaminated safety equipment before having any food.
7.2	Condition for safe storage, including any incompatibilities	Keep containers closed when not in use. Do not store open and unlabelled containers. Keep away from flammable



materials.

Do not store near heat, sparks, open flames and strong oxidizing agents.

7.3 Specific end use

Not available.

8.	Exposure control/personal protection	1
8.1 8.1.1 8.1.1.1	Control parameter National limit values National occupational exposure limit in accordance with Directive 98/24/EC	TLV-TWA (A.G.C.I.H),oil mist: 5mg/m ³ TLV-STEL (A.G.C.I.H),oil mist: 10 mg/m ³
8.1.1.2	National occupational exposure limit values in accordance with Directive 2004/37/EC	Not applicable
8.1.1.3		Not applicable
8.1.1.4	exposure limit value National biological limit values in	None
8.1.1.5	accordance with Directive 98/24/EC Any other national biological limit	Not applicable
0111110	Values	Not applicable
8.1.2	Information recommended monitoring procedures provided for the most	
	relevant substances	Not available
8.1.3	Occupational exposure limit values and/or biological limit values for these	Not applicable
8.1.4	Relevant DNELs and PNECs	Not available
8.1.5	Risk management measures	Not applicable
8.2 8.2.1	Exposure controls Appropriate engineering controls	Prevent mist or aerosol from generating.
8.2.2	Individual protection measures, such as personal protective equipment	
8.2.2.1	Eye/face protection	Goggles are suggested.
	Skin protection Respiratory protection	Wear standard working clothing. Not necessary under normal use conditions.
8.2.2.4	Hand protection	Mineral oil-proof gloves are suggested.
8.2.3	Environmental exposure controls	Do not allow product to soak the soil or enter sewers or watercourses.

9. Physical and chemical properties



- 9.1 Information on basic physical and chemical properties
- 9.1.1 Appearance
- 9.1.1.1 Physical state at 20°C and 1013 hPa
- 9.1.1.2 Colour
- 9.1.2 Odour
- 9.1.3 Odour threshold
- 9.1.4 pH
- 9.1.5 Pour point
- 9.1.6 Initial boiling point and boiling range
- 9.1.7 Flash point
- 9.1.8 Evaporation rate
- 9.1.9 Flammability (solid, gas)
- 9.1.10 Upper/lower flammability or explosive limits
- 9.1.11 Vapour pressure at 20°C
- 9.1.12 Vapour density
- 9.1.13 Relative Density at 15°C
- 9.1.14 Solubility in water
- 9.1.15 Partition coefficient : n-octanol/water
- 9.1.16 Auto-ignition temperature
- 9.1.17 Decomposition temperature
- 9.1.18 Viscosity at 100°C
- 9.1.19 Viscosity at 40°C
- 9.1.20 Explosive properties
- 9.1.21 Oxidising properties
- 9.2 Other information
- 9.2.1 Miscibility

10. Stability and reactivity

- 10.1 Reactivity
 10.2 Chemical stability
 10.3 Possibility of hazardous reactions
 10.4 Condition to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous decomposition products

11. Toxicological information

- 11.1 Information on toxicological effects
- 11.1.1 Acute toxicity

Liquid Dark Yellow Typical Not applicable Not applicable -15°C Max >360°C >210°C Not applicable Not applicable Not applicable < 0.01 hPa >2 880 Kg/m3 Max Negligible Not applicable >325°C Not applicable 41.4 to 50.6 mm2/s 6.8 mm2/s typical Not applicable Not applicable

Complete, in hydrocarbons and most of organic solvents.

Not reactive. The product is stable under normal use and storage conditions. None. Avoid exposure to heat, especially in closed containers. Strong oxidizing agents.

None.

LD50 (oral): > 5000 mg/Kg bw (not toxic) LD50 (dermal): > 2000 mg/Kg bw (not toxic) LC50 (inhalation): > 5000 mg/m3 air (not



11.1.2 11.1.3	Skin corrosion/irritation Serious eye damage/irritation	toxic) Not corrosive/not irritating Not corrosive/not irritating
11.1.4	Respiratory or skin sensitisation	Not sensitising
11.1.5	Germ cell mutagenicity	Genetic toxicity: negative
11.1.6	Carcinogenicity	Not carcinogenic via oral, dermal or inhalation exposures (OECD 453).
11.1.7	Reproductive toxicity	Not reproductive toxicant (OECD 421) (route:oral): NOAEL: 1000 mg/Kg bw/day (route: dermal): NOAEL: 2000 mg/Kg bw/ day
12.	Ecological information	
12.1	Toxicity	Not toxic

14.1	TOXICITY	I VOL TOALE
12.2	Persistence and degradability	Inherently biodegradable, but not readily
		biodegradable; moderately persistent,
		particularly in anaerobic conditions.
	Bioaccumulative potential	Being poorly soluble in water,
		its bio-availability to aquatic
		organisms is minimal and the bio-
		accumulation is unlikely.
12.3	Mobility in soil	Not available
12.4	Results of PBT and vPvB assessment	Not classified as PBT or vPvB mixture
12.5	Other adverse effects	None

13. Disposal information

All disposals must comply with Community regulations on this issue except for different National or Regional provisions

13.1	Waste treatment methods	Do not dispose of the product, either new or used by discharging into sewers, tunnels, lakes, or water courses. Deliver to a qualified official collector. According to the actual use, this product can be classified with different codes, e.g. in groups 13 and 16 (Ref.: 2001/118/CE). It is not possible to give a general classification: the user has the responsibility of choosing the right code, considering the actual use of the product, alterations and contaminations.
13.2	Disposal of packaging	Dispose of in a safe manner, in accordance with local regulations. Do not cut, weld, drill, burn or incinerate



empty containers or drums unless they have been cleaned and declared safe.

14.	Transport information	
14.1 14.2 14.3 14.4 14.5 14.6 14.7	UN number UN proper shipping number Transport hazard class Packing group Environmental hazards Special precautions for user Transport in bulk according to annex II of MARPOL 73/78 and the IBC Code	Not applicable Not applicable Does not belong to any class of danger. Not applicable None None
15.	Regulatory information	
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	National laws on classification, labelling and packaging of dangerous substances and mixtures (Adoption of Regulation1272/2008/ CE (CLP) and subsequent amendments). National adoption of Directives 89/391/CEE, 89/654/CEE, 89/655/CEE, 89/656/CEE, 97/42/CE, 99/38/CE, 99/92/CE, 2001/45/CE, 2003/10/CE, 2003/18/CE. National adoption of Directive 75/439/CEE, concerning disposal of used oils. Relevant national laws on recycling an re-use of waste materials. Relevant national laws on prevention of water Pollution.

15.2 Chemical safety assessment

Not applicable.

16. Other information

16.1 Additional Data

The lubricant base oils used for this final product are subjected to refining treatment, therefore their PAH content (Polycyclic Aromatic Hydrocarbon) according to IP 346 method, is less than 3%.

So, they are not classified as carcinogenic according Regulation 1278/2008/EC (CLP) and subsequent amendments.

References to regulations on Material Safety Data Sheet issuing.
 This sheet has been compiled in compliance with Regulation (EC) 1907/2006-REACH and subsequent amendments and in compliance with Regulation (EC) 1272/2008-CLP and

COMLINE AUTO PARTS

subsequent amendments.

16.3 Revision

This safety sheet has been updated according to the latest Community directives as far as new regulation references and data are concerned.

16.4 Full text of H and EUH-phrases:

Aquatic Acute 1	Hazardous to the aquatic environment – acute hazard, category 1.
Aquatic Chronic 1	Hazardous to the aquatic environment – chronic hazard, category 1.
Aquatic Chronic 2	Hazardous to the aquatic environment – chronic hazard, category 2.
Eye Dam. 1	Serious eye damage. Hazard category 1.
Eye Irrit. 2	Eye irritation. Hazard category 2
Repr. 2	Reproductive toxicity.
Skin Irrit. 2	Skin irritation. Hazard category 2.
H 315	Causes skin irritation.
H 318	Causes serious eye damage.
H 319	Causes serious eye irritation.
H 361f	Suspected of damaging fertility.
H 400	Very toxic to aquatic life.
H 410	Very toxic to aquatic life with long lasting effects.
H 411	Toxic to aquatic life with long lasting effects.
H 413	May be harmful to aquatic life with long lasting effects.

The information contained in this data sheet is considered to be accurate as of the revision date specified below. They have an informative purpose only and it is the user's obligation to evaluate and use this product properly.

Comline Auto Parts Ltd shall not be responsible for abnormal use of the material and does not guarantee its specific properties.

Date: 09/01/2019

Revision N°: 00